ELSEVIER

Sensors and Actuators B 35–36 (1996) 536–537

SENSORS AND ACTUATORS B CHEMICAL

Cumulative Author Index of Volumes B35 and B36

Abovian, H.V., **35**, 241
Ache, H.J., **35**, 207
Adamian, Z.N., **35**, 60, 241
Ahlers, B., **35**, 26
Ahsen, V., **36**, 404
Aizawa, M., **36**, 458
Alause, H., **36**, 377
Almeida, A.M.P., **36**, 427
Anchisini, R., **35**, 99
Andle, J.C., **35**, 141, 158, 170
Ando, M., **36**, 513
Araujo, A.M., **36**, 427
Aroutiounian, V.M., **35**, 60, 192, 241
Asa, H., **36**, 388
Atanasov, P., **36**, 435, 448
Azevedo, W.M., **36**, 427

Bakker, E., **35**, 20
Barker, S.L.R., **35**, 217
Barseghyan, A.A., **35**, 60
Bartholomew, D.U., **35**, 212
Bayer, G.J., **36**, 491
Beckers, L., **35**, 228
Bekaroğlu, Ö., **36**, 404
Bergveld, P., **35**, 73
Bordieu, C., **35**, 52
Bosch-v. Braunmühl, Ch., **36**, 353
Bradberry, G.W., **35**, 197
Brailsford, A.D., **36**, 392
Brinker, C.J., **36**, 517
Byun, H.-G., **36**, 267

Cammann, K., **35**, 26
Cané, C., **35**, 136
Cann, P.S., **35**, 197
Cantalini, C., **35**, 112
Caron, J.J., **35**, 141, 158
Carr, R., **35**, 212
Carvalho, Jr., L.B., **36**, 427
Chen, P.K., **36**, 470
Chen, Z.-H., **35**, 146
Chinowsky, T.M., **35**, 37
Choi, S.-D., **36**, 263
Chung, W.-Y., **36**, 263
Collins, G.E., **35**, 202

D'Amico, A., **36**, 528
Dafu, C., **36**, 422
Dahint, R., **36**, 497
Dalcanale, E., **35**, 154
Davide, F., **36**, 528
Davidson, J.L., **35**, 68; **36**, 303
de Rooij, N.F., **35**, 119, 247
Depero, L.E., **36**, 381
Diehl-Faxon, J., **36**, 448
Dikij, S.P., **35**, 44
DiNatale, C., **36**, 528
Dolezal, C., **36**, 506
Douguchi, Y., **35**, 183; **36**, 384
Drost, S., **36**, 353
Dumschat, C., **35**, 26
Dyshel, D., **35**, 244

Egashira, M., **35**, 62
Elkind, J., **35**, 212
Endres, H.-E., **36**, 353, 358
Errachid, A., **35**, 136
Everhart, D., **35**, 176; **36**, 363
Ezell, E.F., **36**, 388

Faccio, M., **35**, 112
Faglia, G., **35**, 99
Faul, R., **36**, 358
Fedorenko, L.L., **35**, 44
Feng, C.-D., **36**, 431
Ferroni, M., **36**, 381
Fiaccabrino, G.C., **35**, 247
Fleischer, M., **36**, 290, 297
Furlong, C., **35**, 212

Galipeau, D.W., **35**, 91
Galipeau, J.D., **35**, 158, 164
Gallazzi, M.C., **35**, 99
Gendel, S.M., **36**, 431
Gergintschew, Z., **36**, 285
Ghindilis, A.L., **36**, 448
Gibbs, D.L., **35**, 222
Gland, J.L., **36**, 312
Glazier, S.A., **36**, 491
Golovanov, V., **36**, 398
Göpel, W., **36**, 404, 409
Göttler, W., **36**, 353
Götz, A., **35**, 136
Gràcia, I., **35**, 136
Grasdepot, F., **36**, 377
Grunze, M., **36**, 497
Guidi, V., **36**, 381
Gurbuz, Y., **35**, 68; **36**, 303
Guth, U., **36**, 409

Habara, H., **36**, 384
Habara, M., **35**, 183
Haimbodi, M., **35**, 176
Han, L., **36**, 517
Hao, Y., **36**, 422
Harder, P., **36**, 497
Harrison, M.R., **35**, 222
Hartinger, R., **36**, 353, 358
Hartmann, J., **35**, 103, 154
Haruta, M., **36**, 513
Haruyama, T., **36**, 458
Haskell, R.B., **35**, 141
Hauptmann, P., **35**, 103, 154
Heideman, R.G., **35**, 234
Hellmich, W., **36**, 353
Henn, D., **35**, 26
Hesketh, P.J., **36**, 431
Hines, J.W., **35**, 222
Holmberg, M., **36**, 528
Holzner, K., **36**, 320
Hong, H.-K., **35**, 48; **36**, 338
Hong, Z., **36**, 422

Iio, M., **35**, 124
Ishida, H., **35**, 32

Jager, E.W.H., **35**, 234
Jinghong, H., **36**, 422
Jinkawa, T., **36**, 325
Johnston, K.S., **35**, 187
Jory, M.J., **35**, 197
Josse, F., **35**, 176; **36**, 363, 497

Kang, W.P., **35**, 68; **36**, 303
Karabun, P., **36**, 419
Kaskevich, O., **36**, 333, 419
Kawano, T., **36**, 274
Kerns, D.V., **35**, 68; **36**, 303
Khaffaf, S.M., **36**, 267
Khan, G.F., **36**, 484
Kijima, T., **36**, 388
Kim, B.-K., **36**, 278
Kim, H., **36**, 278
Kim, S.-R., **35**, 48; **36**, 338
Kimura, H., **36**, 308
Kitano, H., **36**, 522
Knap, W., **36**, 377
Kobatake, E., **36**, 458
Kobayashi, T., **36**, 513
Kohl, C.-D., **36**, 290, 297
Kolle, C., **36**, 506
Komaba, S., **36**, 463
Kondo, K., **35**, 183; 384
Kopelman, R., **35**, 217; 475
Kordoš, P., **35**, 228
Kornetzky, P., **36**, 285
Koudelka-Hep, M., **35**, 119, 247
Krenkow, A., **36**, 353
Kukanskis, K., **35**, 212
Kuwano, H., **36**, 342
Kwon, C.H., **35**, 48; **36**, 338
Kwon, C.-S., **36**, 278

Lambeck, P.V., **35**, 234
Lee, D.-D., **36**, 263
Lee, D.-H., **36**, 267
Lee, J.-H., **36**, 278
Lee, K., **35**, 48; **36**, 338
Lee, S.P., **35**, 80
LeGore, L.J., **35**, 158, 164
Levi, S., **35**, 154
Logothetis, E.M., **36**, 392
Lopez, G.P., **36**, 517
Lora-Tamayo, E., **35**, 136
Losantos, P., **35**, 136
Lozzi, L., **35**, 112
Lu, G., **35**, 124, 130
Lu, Y., **36**, 517
Lucklum, R., **35**, 103
Lukas, R., **36**, 363
Lundström, I., **35**, 11; **36**, 528
Lüth, H., **35**, 228

Madou, M.J., **35**, 222
Majoo, S., **36**, 312
Makihara, A., **36**, 388
Makisimovich, N., **36**, 333, 419
Malzac, J.P., **36**, 377
Marca, G., **36**, 381
Markarian, N.L., **35**, 192
Martinelli, G., **36**, 381
Martynenko, F., **36**, 419
Matern, C., **35**, 207
Matsuguchi, M., **35**, 85
Matsuura, Y., **36**, 308
McAllister, D.J., **35**, 170
McCormick, M., **35**, 146
McCurley, M., **35**, 1
McCurley, M.F., **36**, 491
Meixner, H., **36**, 290, 297
Melendez, J., **35**, 212
Merlos, A., **35**, 136
Mileham, R.D., **35**, 91
Minami, T., **36**, 384
Ming, Y.-D., **36**, 431
Miura, N., **35**, 124, 130; **36**, 325
Mlcak, R., **35**, 255
Moriizumi, T., **35**, 32; **36**, 338
Morita, T., **36**, 384
Moriya, K., **36**, 325
Müller, G., **36**, 353
Mutschall, D., **36**, 320

Nakamoto, T., **35**, 32
Nakamura, M., **36**, 342
Nakazumi, H., **35**, 183

Elsevier Science S.A.

Nanto, H., **35**, 183; **36**, 384
Nelli, P., **36**, 381
Nelson, S.G., **35**, 187
Nerkararyan, Kh.V., **35**, 192
Niemczyk, T.M., **36**, 517
Nikitina, N., **36**, 333, 419

O'Leary, P., **36**, 506
Obermeier, E., **36**, 320
Olthuis, W., **35**, 73
Osaka, T., **36**, 463
Oudejans, D., **35**, 73
Oyabu, T., **36**, 308
Öztürk, Z.Z., **36**, 404

Pandey, P.C., **36**, 470
Panossian, M.S., **35**, 60
Park, K.-J., **35**, 80
Passacantando, M., **35**, 112
Payne, J.S., **36**, 267
Pelino, M, **35**, 112
Perego, C., **36**, 353
Persaud, K.C., **36**, 267
Pickering, J.L., **35**, 222
Pisanelli, A.M., **36**, 267
Pistré, J., **35**, 52
Planade, R., **35**, 52
Plaschke, M., **35**, 207
Porat, O., **36**, 348

Radloff, D., **35**, 207
Rebière, D., **35**, 52
Reichert, J., **35**, 207
Reinhardt, G., **36**, 409
Reininger, F., **36**, 506
Ros Seigel, R., **36**, 497
Rosenzweig, Z., **36**, 475
Rösler, S., **35**, 103
Roth, M., **36**, 358
Rud', B., **35**, 244

Saban, S.B., **35**, 37
Sadaoka, Y., **35**, 85
Sakai, Y., **35**, 85
Sako, S., **35**, 62
Sambles, J.R., **35**, 197
Sangaletti, L., **36**, 381
Santucci, S., **35**, 112
Sberveglieri, G., **35**, 99; **36**, 353, 381
Schipanski, D., **36**, 285
Schneider, S., **36**, 363
Schöning, M.J., **35**, 228
Schubert, J., **35**, 228
Schwank, J.W., **36**, 312
Schweyer, M.G., **35**, 170
Seth, M., **36**, 290, 297
Seyama, M., **36**, 463
Shimizu, Y., **35**, 62
Shin, H.W., **35**, 48; **36**, 338
Shoemaker, E., **36**, 370
Shortreed, M.R., **35**, 217
Shul'ga, A.A., **35**, 26
Simon, D., **35**, 207
Singh, S., **36**, 470
Skinner, N., **35**, 247
Snow, K., **35**, 158, 164
Somov, S., **36**, 409
Somps, C.J., **35**, 222
Sorita, R., **36**, 274
Sprague, J.J., **36**, 348
Starodub, N.F., **35**, 44
Starodub, V.M., **35**, 44
Stetter, J.R., **36**, 431
Story, P.R., **35**, 91
Sugimoto, I., **36**, 342
Sun, H.T., **35**, 112, 146
Suski, J., **36**, 377
Svechnikov, S.V., **35**, 44

Takahashi, C., **36**, 522
Takao, Y., **35**, 62
Tamaki, J., **36**, 325
Tanabe, K., **36**, 463
Tang, X.-M., **35**, 247
Tel'nikov, E., **35**, 244
Trettnak, W., **36**, 506
Tsarouchas, D., **35**, 228
Tuller, H.L., **35**, 255; **36**, 348
Turner, T., **36**, 370

Upadhyay, B., **36**, 470

van der Wal, P.D., **35**, 119
Veldhuis, G.J., **35**, 234
Vetelino, J.F., **35**, 141, 158, 164, 170
Vetelino, K.A., **35**, 91
Vogt, M., **36**, 370
Volanschi, A., **35**, 73
Vorotyntsev, V., **36**, 333, 419

Waite, R.I., **35**, 183
Weetall, H.H., **35**, 1; **36**, 470
Wilkins, E., **36**, 435, 448
Winquist, F., **36**, 528
Wise, K.D., **36**, 312
Wlodarski, W., **35**, 146
Woodbury, R., **35**, 212

Xingxia, C., **36**, 422
Xue, M., **36**, 458

Yamaura, H., **36**, 325
Yamazoe, N., **35**, 124, 130; **36**, 325
Yating, L., **36**, 422
Yee, S., **35**, 212
Yee, S.S., **35**, 37, 187
Yeremina, L., **35**, 244; **36**, 333
Yun, D.H., **35**, 48; **36**, 338
Yussouff, M., **36**, 392

Zander, W., **35**, 228
Zehetner, J., **36**, 513
Zerbi, G., **35**, 99
Zhou, R., **35**, 176; **36**, 363, 404

ELSEVIER

Sensors and Actuators B35–36 (1996) 538–545

SENSORS AND ACTUATORS B CHEMICAL

Cumulative Subject Index of Volumes B35 and B36

α-Amino acids
Chemical-sensing structure, direction, and quantification of plasma-organic films with α-amino acids, **36**, 342
Acoustic plate mode sensor
An acoustic plate mode sensor for aqueous mercury, **35**, 170
Detection of non-specific protein adsorption at artificial surfaces by the use of acoustic plate mode sensors, **36**, 497
Acousto-optics
Surface-plasmon opto-electrochemistry, **35**, 197
Active sampling probe
An odor compass for localizing an odor source, **35**, 32
Adsorption semiconductor gas sensor
Adsorption semiconductor gas sensors and heterogeneous catalytic reaction mechanisms, **36**, 333
Adsorption semiconductor sensor for diabetic ketoacidosis diagnosis, **36**. 419
Agricultural ma[illegible]
Sensor array techniques for mimicking the mammalian olfactory system, **36**, 267
Alkali metal
Indium oxide-based gas sensor for selective detection of CO, **36**, 325
Ammonia
Gas-phase chemical sensing using electrochemiluminescence, **35**, 202
Amperometric sensor
Solid-state amperometric NO_2 sensor using a sodium ion conductor, **35**, 124
Anodic stripping voltammetry
Experimental data from a trace metal sensor combining surface plasmon resonance with anodic stripping voltammetry, **35**, 37
Aromas from alcohols
Identification of aromas from alcohols using a Japanese-lacquer-film-coated quartz resonator gas sensor in conjunction with pattern recognition analysis, **35**, 183
Artificial surfaces
Detection of non-specific protein adsorption at artificial surfaces by the use of acoustic plate mode sensors, **36**, 497
Atom force microscope
Confirmation of immobilizing IgG on different surfaces with AFM and impedance investigations of a Pt electrode during the immobilization, **36**, 431
ATR
Chemical sensors based on hydrophobic porous sol-gel films and ATR-FTIR spectroscopy, **36**, 517
Au–NiO composite films
Large optical CO sensitivity of NO_2-pretreated Au–NiO composite films, **36**, 513

Back-propagation
Electronic nose system with micro gas sensor array, **36**, 338
Biosensor
Construction of SEC/CTC electrodes for direct electron transferring biosensors, **36**, 484
High-sensitivity urea sensor based on the composite film of electroinactive polypyrrole with polyion complex, **36**, 463
Bismuth sesquioxide
Smoke sensor on the base of Bi_2O_3 sesquioxide, **35**, 241
Breakdown voltage
Variations in *I–V* characteristics of oxide semiconductors induced by oxidizing gases, **35**, 62

Cadmium
Stability improvement of an optochemical heavy metal ion sensor by covalent receptor binding, **35**, 207
Capacitive EIS heterostructure
A highly long-term stable silicon-based pH sensor fabricated by pulsed laser deposition technique, **35**, 228
Capacitive humidity sensor
Polyphosphazene membrane as a very sensitive resistive and capacitive humidity sensor, **35**, 99
Capacitive-type sensor
Humidity sensors based on polymer thin films, **35**, 85
Carbon monoxide sensor
Extremely stable Nafion based carbon monoxide sensor, **35**, 119
Carbon thin-films
Interdigitated microelectrode arrays based on sputtered carbon thin-films, **35**, 247
Catalytic activity
A highly selective CO sensor: screening of electrode materials, **36**, 274
Indium oxide-based gas sensor for selective detection of CO, **36**, 325
Cavitand receptors
Chemical sensing with cavitands: influence of cavity shape and dimensions on the detection of solvent vapors, **35**, 154
Cd_xS and Sn_xWO_y
Comparative study of differently coordinated surface sites: Cd_xS- and Sn_xWO_y-based gas sensors, **36**, 398
Cermet
A trainable cermet gas microsensor technology using cyclic voltammetry and neural networks, **36**, 370
Charge-transfer complexes
Construction of SEC/CTC electrodes for direct electron transferring biosensors, **36**, 484
Chemical sensing
Photo-assisted silicon micromachining: opportunities for chemical sensing, **35**, 255
Chemical sensors based on hydrophobic porous sol-gel films and ATR-FTIR spectroscopy, **36**, 517
Chemiluminescence
Gas-phase chemical sensing using electrochemiluminescence, **35**, 202
Chemiresistive overlay
The integration of a chemiresistive film overlay with a surface acoustic wave microsensor, **35**, 158
Chemisorption complexes
Comparative study of differently coordinated surface sites: Cd_xS- and Sn_xWO_y-based gas sensors, **36**, 398

Chemo-optical sensor
Fabrication and packaging of integrated chemo-optical sensors, **35**, 234
Cleavage
A new principle for creating an optochemical sensor on the basis of a waveguide with moving borders, **35**, 192
CMOS technology
The capacitively controlled field effect transistor (CCFET) as a new low power gas sensor, **36**, 285
CO
A thin-film SnO_2 sensor system for simultaneous detection of CO and NO_2 with neural signal evaluation, **36**, 353
A highly selective CO sensor: screening of electrode materials, **36**, 274
Indium oxide-based gas sensor for selective detection of CO, **36**, 325
Combustion exhaust
Indium oxide-based gas sensor for selective detection of CO, **36**, 325
Complex impedance
A highly selective CO sensor: screening of electrode materials, **36**, 274
Condensation
Improved dew point measurements based on a SAW sensor, **35**, 91
Conducting polymer sensor arrays
Sensor array techniques for mimicking the mammalian olfactory system, **36**, 267
Conductometry
New sensing principles for ion detection, **35**, 26
CO-sensitive absorbance change
Large optical CO sensitivity of NO_2-pretreated Au–NiO composite films, **36**, 513
Cross sensitivity
Drift reduction of organic coated gas-sensors by temperature modulation, **36**, 358
Cross-linking of polymer
Humidity sensors based on polymer thin films, **35**, 85
Cryogenic
Trace moisture measurement in semiconductor gases, **36**, 388

D96N bacteriorhodopsin
Reversal in the kinetics of the M state decay of D96N bacteriorhodopsin: probing of enzyme catalyzed reactions, **36**, 470
Detection limit
Origin of anion response of solvent polymeric membrane based silver ion-selective electrodes, **35**, 20
Dew point
Improved dew point measurements based on a SAW sensor, **35**, 91
Trace moisture measurement in semiconductor gases, **36**, 388
Diabetic ketoacidosis diagnosis
Adsorption semiconductor sensor for diabetic ketoacidosis diagnosis, **36**, 419
Diamond
Analyzing the mechanism of hydrogen adsorption effects on diamond based MIS hydrogen sensors, **35**, 68
A novel oxygen gas sensor utilizing thin film diamond diode with catalyzed tin oxide electrode, **36**, 303
Differential measurement
On-line measurement system based on biosensors, **36**, 422
Diffusion barrier
Limiting current and wide range air/fuel ratio sensors using the same YSZ–$A1_2O_3$ layers as electrolyte and diffusion barrier, **36**, 278
Diode
Analyzing the mechanism of hydrogen adsorption effects on diamond based MIS hydrogen sensors, **35**, 68
A novel oxygen gas sensor utilizing thin film diamond diode with catalyzed tin oxide electrode, **36**, 303
Direct electron transfer
Direct electron transfer based tri-enzyme electrode for monitoring of organophosphorus pesticides, **36**, 448
Direct method
Trace moisture measurement in semiconductor gases, **36**, 388
Dissolved oxygen
A fluorescence assay for dissolved oxygen using sol-gel encapsulated myoglobin and an analogy to the inner filter effect, **36**, 491
Divided flow method
Calibration method of flow meters for a divided flow humidity generator, **36**, 522
Domestic gas sensor
Domestic gas sensor with micromachined optical tunable filter, **36**, 377
Doping effect
Doping effect of SnO_2 on gas sensing characteristics of sputtered ZnO thin film chemical sensor, **36**, 384
Double-layer
Surface-plasmon opto-electrochemistry, **35**, 197
Drift
Drift reduction of organic coated gas-sensors by temperature modulation, **36**, 358
Drift counteraction
Drift counteraction for an electronic nose, **36**, 528
Dynamic detection
Temporal window system: a new approach for dynamic detection – application to surface acoustic wave gas sensors, **35**, 52
Dynamic surface tension
Gas phase nucleation core electrodes for the electrolytical method of measuring the dynamic surface tension in aqueous solutions, **35**, 73

Electrical loading
Polymer-coated QCR sensors for the detection of organic solvents in water, **35**, 176
Electrochemical luminescence
Electrochemical luminescence immunosensor for α-fetoprotein, **36**, 458
Electrochemistry
Surface-plasmon opto-electrochemistry, **35**, 197
Electrode kinetics
Mixed conducting gas sensors: atmosphere dependent electrode impedance, **36**, 348
Electrolysis
Gas phase nucleation core electrodes for the electrolytical method of measuring the dynamic surface tension in aqueous solutions, **35**, 73
Electronic nose
Drift counteraction for an electronic nose, **36**, 528
Electronic nose system with micro gas sensor array, **36**, 338
Electro-optic
Fabrication and packaging of integrated chemo-optical sensors, **35**, 234
Electropolymerization
High-sensitivity urea sensor based on the composite film of electroinactive polypyrrole with polyion complex, **36**, 463
Environmental biosensor
Direct electron transfer based tri-enzyme electrode for monitoring of organophosphorus pesticides, **36**, 448
Equilibrium
Trace moisture measurement in semiconductor gases, **36**, 388

ETH 2412
Anion-selective liquid-polymer optodes with fluorescent pH chromoionophores, tunable dynamic range and diffusion enhanced lifetimes, **35**, 217
ETH 2439
Anion-selective liquid-polymer optodes with fluorescent pH chromoionophores, tunable dynamic range and diffusion enhanced lifetimes, **35**, 217
ETH 5350
Anion-selective liquid-polymer optodes with fluorescent pH chromoionophores, tunable dynamic range and diffusion enhanced lifetimes, **35**, 217

Fiber-optic chemical sensor
Anion-selective liquid-polymer optodes with fluorescent pH chromoionophores, tunable dynamic range and diffusion enhanced lifetimes, **35**, 217
Fiber-to-chip coupling
Fabrication and packaging of integrated chemo-optical sensors, **35**, 234
Field effect transistor
The capacitively controlled field effect transistor (CCFET) as a new low power gas sensor, **36**, 285
Flow meter calibration
Calibration method of flow meters for a divided flow humidity generator, **36**, 522
Fluorescence
A fluorescence assay for dissolved oxygen using sol-gel encapsulated myoglobin and an analogy to the inner filter effect, **36**, 491
The use of polyvinyl alcohol glutaraldehyde antigen coated discs for laser induced fluorescence detection of plague, **36**, 427
Use of the silicon crystals photoluminescence to control immunocomplex formation, **35**, 44
Food quality control
Sensor array techniques for mimicking the mammalian olfactory system, **36**, 267
FTIR
Chemical sensors based on hydrophobic porous sol-gel films and ATR-FTIR spectroscopy, **36**, 517

Ga_2O_3 thin film sensors
A study of surface modification at semiconducting Ga_2O_3 thin film sensors for enhancement of the sensitivity and selectivity, **36**, 290
Ga_2O_3 thin-films
A selective H_2 sensor implemented using Ga_2O_3 thin-films which are covered with a gas-filtering SiO_2 layer, **36**, 297
Gas
A trainable cermet gas microsensor technology using cyclic voltammetry and neural networks, **36**, 370
Gas sensor
A silicon micromachined conductometric gas sensor with a maskless Pt sensing film deposited by selected-area CVD, **36**, 312
AC-impedance-based chemical sensors for organic solvent vapors, **36**, 363
Approaches and mechanisms to solid state based sensing, **35**, 11
Doping effect of SnO_2 on gas sensing characteristics of sputtered ZnO thin film chemical sensor, **36**, 384
Drift reduction of organic coated gas-sensors by temperature modulation, **36**, 358
Gas analysis with arrays of solid state electrochemical sensors: implications to monitor HCs and NO_x in exhausts, **36**, 409
Identification for gaseous indoor air-pollutants using NDV, **36**, 308
Molecular recognition with metal containing supramolecular compounds: soluble tetradentate dithioglyoximes for the detection of organic solvents in the gas phase, **36**, 404
Sputtered molybdenum oxide thin films for NH_3 detection, **36**, 320
Steady state model of electrochemical gas sensors with multiple reactions, **36**, 392
The capacitively controlled field effect transistor (CCFET) as a new low power gas sensor, **36**, 285
Gas sensor array
Electronic nose system with micro gas sensor array, **36**, 338
Gas-filtering SiO_2 layer
A selective H_2 sensor implemented using Ga_2O_3 thin-films which are covered with a gas-filtering SiO_2 layer, **36**, 297
Glucose biosensor
In vivo rechargeable glucose biosensors[1], **36**, 435
Glucose fiber optic sensor
Analytical properties of miniaturized oxygen and glucose fiber optic sensors, **36**, 475
Glucose monitoring
In vivo rechargeable glucose biosensors[1], **36**, 435
Glutaraldehyde
The use of polyvinyl alcohol glutaraldehyde antigen coated discs for laser induced fluorescence detection of plague, **36**, 427
Gold
Surface-plasmon opto-electrochemistry, **35**, 197
Graft polymerization
Humidity sensors based on polymer thin films, **35**, 85
Gravimetric organic gas-sensor
Chemical-sensing structure, direction, and quantification of plasma-organic films with α-amino acids, **36**, 342

H^+-ISFET
On-line measurement system based on biosensors, **36**, 422
H_2 sensor
A selective H_2 sensor implemented using Ga_2O_3 thin-films which are covered with a gas-filtering SiO_2 layer, **36**, 297
High-temperature hydrogen sensor based on stabilized zirconia and a metal oxide electrode, **35**, 130
Halogenides
Origin of anion response of solvent polymeric membrane based silver ion-selective electrodes, **35**, 20
Heater fabrication
Compositions without noble metals for thick film gas sensor heater fabrication, **35**, 244
Heterogeneous catalytic reaction mechanisms
Adsorption semiconductor gas sensors and heterogeneous catalytic reaction mechanisms, **36**, 333
Homogeneous electrochemical luminescence immunoassay
Electrochemical luminescence immunosensor for α-fetoprotein, **36**, 458
Humidity generator
Calibration method of flow meters for a divided flow humidity generator, **36**, 522
Humidity sensitive field effect transistors
Humidity sensitive field effect transistors, **35**, 80
Humidity sensor
Humidity sensors based on polymer thin films, **35**, 85
Humidity standards
Calibration method of flow meters for a divided flow humidity generator, **36**, 522
Hydrazine
Gas-phase chemical sensing using electrochemiluminescence, **35**, 202
Hydrogel
Stability improvement of an optochemical heavy metal ion sensor by covalent receptor binding, **35**, 207

Hydrogen
Analyzing the mechanism of hydrogen adsorption effects on diamond based MIS hydrogen sensors, **35**, 68

IDC
Drift reduction of organic coated gas-sensors by temperature modulation, **36**, 358
Identification
Identification for gaseous indoor air-pollutants using NDV, **36**, 308
Immobilizing IgG
Confirmation of immobilizing IgG on different surfaces with AFM and impedance investigations of a Pt electrode during the immobilization, **36**, 431
Immunosensor
Electrochemical luminescence immunosensor for α-fetoprotein, **36**, 458
Use of the silicon crystals photoluminescence to control immunocomplex formation, **35**, 44
Impedance
Confirmation of immobilizing IgG on different surfaces with AFM and impedance investigations of a Pt electrode during the immobilization, **36**, 431
Silica and polyimide coated quartz crystal resonators for analysis of liquids, **35**, 146
Impedance spectroscopy
AC-impedance-based chemical sensors for organic solvent vapors, **36**, 363
Mixed conducting gas sensors: atmosphere dependent electrode impedance, **36**, 348
Implantable glucose sensor
In vivo rechargeable glucose biosensors[1], **36**, 435
In vitro
In vivo rechargeable glucose biosensors[1], **36**, 435
In vivo
Electrochemical performance of an ion selective, polymeric membrane following chronic implantation in rat subcutaneous tissue, **35**, 222
In vivo rechargeable glucose biosensors[1], **36**, 435
Indoor air-pollutant
Identification for gaseous indoor air-pollutants using NDV, **36**, 308
Inner filter effect
A fluorescence assay for dissolved oxygen using sol-gel encapsulated myoglobin and an analogy to the inner filter effect, **36**, 491
Integrated biosensor
A commercial solution for surface plasmon sensing, **35**, 212
Intelligent
A trainable cermet gas microsensor technology using cyclic voltammetry and neural networks, **36**, 370
Interdigitated microelectrode arrays
Interdigitated microelectrode arrays based on sputtered carbon thin-films, **35**, 247
Interface resistance
A highly selective CO sensor: screening of electrode materials, **36**, 274
Ion-selective
New sensing principles for ion detection, **35**, 26
Ion selective electrode
Electrochemical performance of an ion selective, polymeric membrane following chronic implantation in rat subcutaneous tissue, **35**, 222
Origin of anion response of solvent polymeric membrane based silver ion-selective electrodes, **35**, 20

Japanese-lacquer-film-coated quartz resonator gas sensor
Identification of aromas from alcohols using a Japanese-lacquer-film-coated quartz resonator gas sensor in conjunction with pattern recognition analysis, **35**, 183

Kinetics
Reversal in the kinetics of the M state decay of D96N bacteriorhodopsin: probing of enzyme catalyzed reactions, **36**, 470

Laser
The use of polyvinyl alcohol glutaraldehyde antigen coated discs for laser induced fluorescence detection of plague, **36**, 427
Limiting current-type sensor
Limiting current and wide range air/fuel ratio sensors using the same YSZ–$A1_2O_3$ layers as electrolyte and diffusion barrier, **36**, 278
Liquid
A new principle for creating an optochemical sensor on the basis of a waveguide with moving borders, **35**, 192
Silica and polyimide coated quartz crystal resonators for analysis of liquids, **35**, 146
Liquid phase
Polymer-coated QCR sensors for the detection of organic solvents in water, **35**, 176
Long-term stability
A highly long-term stable silicon-based pH sensor fabricated by pulsed laser deposition technique, **35**, 228
Low power application
The capacitively controlled field effect transistor (CCFET) as a new low power gas sensor, **36**, 285
Luminescence
Electrochemical luminescence immunosensor for α-fetoprotein, **36**, 458
Luminescence lifetime
Miniaturized luminescence lifetime-based oxygen sensor instrumentation utilizing a phase modulation technique, **36**, 506
Luminol-labeled anti-α-fetoprotein antibody
Electrochemical luminescence immunosensor for α-fetoprotein, **36**, 458

M state decay
Reversal in the kinetics of the M state decay of D96N bacteriorhodopsin: probing of enzyme catalyzed reactions, **36**, 470
Mach–Zehnder interferometer
Fabrication and packaging of integrated chemo-optical sensors, **35**, 234
Mass-loading
Polymer-coated QCR sensors for the detection of organic solvents in water, **35**, 176
Mercury
An acoustic plate mode sensor for aqueous mercury, **35**, 170
Stability improvement of an optochemical heavy metal ion sensor by covalent receptor binding, **35**, 207
Metal ion sensing
Experimental data from a trace metal sensor combining surface plasmon resonance with anodic stripping voltammetry, **35**, 37
Metal oxide
Sputtered molybdenum oxide thin films for NH_3 detection, **36**, 320
Microelectronic device
A silicon micromachined conductometric gas sensor with a maskless Pt sensing film deposited by selected-area CVD, **36**, 312
Microfabrication
Interdigitated microelectrode arrays based on sputtered carbon thin-films, **35**, 247
Micrologic processing circuit
Smoke-detector signal micrologic processing circuit, **35**, 60
Micromachined
Domestic gas sensor with micromachined optical tunable filter, **36**, 377

Microprocessor
On-line measurement system based on biosensors, **36**, 422
Microsystem applications
Multilayer ISFET membranes for microsystems applications, **35**, 136
Mixed conductor
Mixed conducting gas sensors: atmosphere dependent electrode impedance, **36**, 348
Mixed potential
High-temperature hydrogen sensor based on stabilized zirconia and a metal oxide electrode, **35**, 130
Mixed-flow generator
Calibration method of flow meters for a divided flow humidity generator, **36**, 522
Moisture
Trace moisture measurement in semiconductor gases, **36**, 388
Molybdenum trioxide
Sputtered molybdenum oxide thin films for NH_3 detection, **36**, 320
Multi-component analysis
Gas analysis with arrays of solid state electrochemical sensors: implications to monitor HCs and NO_x in exhausts, **36**, 409
Multilayer ISFET membranes
Multilayer ISFET membranes for microsystems applications, **35**, 136
Multiple electrochemical reactions
Steady state model of electrochemical gas sensors with multiple reactions, **36**, 392
Myoglobin
A fluorescence assay for dissolved oxygen using sol-gel encapsulated myoglobin and an analogy to the inner filter effect, **36**, 491

Nafion
Extremely stable Nafion based carbon monoxide sensor, **35**, 119
$NaNO_2$
Solid-state amperometric NO_2 sensor using a sodium ion conductor, **35**, 124
Nanosized thin film of TiO_2–WO_3
Preparation and micro-structural characterization of nanosized thin film of TiO_2–WO_3 as a novel material with high sensitivity towards NO_2, **36**, 381
NASICON
Solid-state amperometric NO_2 sensor using a sodium ion conductor, **35**, 124
Nasicon electrolytes
SO_2 sensing characteristics of Nasicon electrolytes, **36**, 263
Neural
A trainable cermet gas microsensor technology using cyclic voltammetry and neural networks, **36**, 370
Neural signal evaluation
A thin-film SnO_2 sensor system for simultaneous detection of CO and NO_2 with neural signal evaluation, **36**, 353
Nitrite ionophore I
Anion-selective liquid-polymer optodes with fluorescent pH chromoionophores, tunable dynamic range and diffusion enhanced lifetimes, **35**, 217
NO_2
A thin-film SnO_2 sensor system for simultaneous detection of CO and NO_2 with neural signal evaluation, **36**, 353
Cross sensitivity and stability of NO_2 sensors from WO_3 thin film, **35**, 112
Preparation and micro-structural characterization of nanosized thin film of TiO_2–WO_3 as a novel material with high sensitivity towards NO_2, **36**, 381
NO_2 pretreatment
Large optical CO sensitivity of NO_2-pretreated Au–NiO composite films, **36**, 513
Noble metals
Compositions without noble metals for thick film gas sensor heater fabrication, **35**, 244
Non-linear *I–V* characteristics
Variations in *I–V* characteristics of oxide semiconductors induced by oxidizing gases, **35**, 62
NO_x sensor
Solid-state amperometric NO_2 sensor using a sodium ion conductor, **35**, 124

Odor source localization
An odor compass for localizing an odor source, **35**, 32
Odour sensing
Sensor array techniques for mimicking the mammalian olfactory system, **36**, 267
On-line
On-line measurement system based on biosensors, **36**, 422
Optical
Trace moisture measurement in semiconductor gases, **36**, 388
Optical heterodyne
High sensitivity surface plasmon resonance sensor based on phase detection, **35**, 187
Optical sensor
Chemical sensors based on hydrophobic porous sol-gel films and ATR-FTIR spectroscopy, **36**, 517
Optical tunable filter
Domestic gas sensor with micromachined optical tunable filter, **36**, 377
Optochemical sensor
A new principle for creating an optochemical sensor on the basis of a waveguide with moving borders, **35**, 192
Miniaturized luminescence lifetime-based oxygen sensor instrumentation utilizing a phase modulation technique, **36**, 506
Large optical CO sensitivity of NO_2-pretreated Au–NiO composite films, **36**, 513
Organic solvent
Polymer-coated QCR sensors for the detection of organic solvents in water, **35**, 176
Organic solvent vapors
AC-impedance-based chemical sensors for organic solvent vapors, **36**, 363
Organophosphorus pesticide determination
Direct electron transfer based tri-enzyme electrode for monitoring of organophosphorus pesticides, **36**, 448
Oxide semiconductor
Abnormal current–voltage characteristics of WO_3-doped SnO_2 oxide semiconductors and their applications to gas sensors, **35**, 48
Variations in *I–V* characteristics of oxide semiconductors induced by oxidizing gases, **35**, 62
Oxidizing gas
Variations in *I–V* characteristics of oxide semiconductors induced by oxidizing gases, **35**, 62
Oxygen
A novel oxygen gas sensor utilizing thin film diamond diode with catalyzed tin oxide electrode, **36**, 303
Miniaturized luminescence lifetime-based oxygen sensor instrumentation utilizing a phase modulation technique, **36**, 506
Oxygen fiber optic sensor
Analytical properties of miniaturized oxygen and glucose fiber optic sensors, **36**, 475
Oxygen pumping
Limiting current and wide range air/fuel ratio sensors using the same YSZ–$A1_2O_3$ layers as electrolyte and diffusion barrier, **36**, 278

Oxygen sensor
Mixed conducting gas sensors: atmosphere dependent electrode impedance, **36**, 348

Pattern recognition
Electronic nose system with micro gas sensor array, **36**, 338
Pattern recognition analysis
Identification of aromas from alcohols using a Japanese-lacquer-film-coated quartz resonator gas sensor in conjunction with pattern recognition analysis, **35**, 183
Penicillinase FET
On-line measurement system based on biosensors, **36**, 422
pH sensor
A highly long-term stable silicon-based pH sensor fabricated by pulsed laser deposition technique, **35**, 228
Phase matching
A new principle for creating an optochemical sensor on the basis of a waveguide with moving borders, **35**, 192
Phase measurement
Miniaturized luminescence lifetime-based oxygen sensor instrumentation utilizing a phase modulation technique, **36**, 506
Phase modulation
Fabrication and packaging of integrated chemo-optical sensors, **35**, 234
Phase-detection
High sensitivity surface plasmon resonance sensor based on phase detection, **35**, 187
Photo-assisted silicon micromachining
Photo-assisted silicon micromachining: opportunities for chemical sensing, **35**, 255
Piezoelectric substrates
Temperature stable piezoelectric substrates for SAW gas sensors, **35**, 141
Plague
The use of polyvinyl alcohol glutaraldehyde antigen coated discs for laser induced fluorescence detection of plague, **36**, 427
Platinum thin film
A silicon micromachined conductometric gas sensor with a maskless Pt sensing film deposited by selected-area CVD, **36**, 312
Polyion complex
High-sensitivity urea sensor based on the composite film of electroinactive polypyrrole with polyion complex, **36**, 463
Polymer matrices
Stability improvement of an optochemical heavy metal ion sensor by covalent receptor binding, **35**, 207
Polymer membrane
Electrochemical performance of an ion selective, polymeric membrane following chronic implantation in rat subcutaneous tissue, **35**, 222
Polyphosphazene membrane
Polyphosphazene membrane as a very sensitive resistive and capacitive humidity sensor, **35**, 99
Polypyrrole
High-sensitivity urea sensor based on the composite film of electroinactive polypyrrole with polyion complex, **36**, 463
Polyvinyl alcohol
The use of polyvinyl alcohol glutaraldehyde antigen coated discs for laser induced fluorescence detection of plague, **36**, 427
Porous silicon
Use of the silicon crystals photoluminescence to control immunocomplex formation, **35**, 44
Porphyrins
Stability improvement of an optochemical heavy metal ion sensor by covalent receptor binding, **35**, 207
Protein adsorption
Detection of non-specific protein adsorption at artificial surfaces by the use of acoustic plate mode sensors, **36**, 497
Pt electrode
Confirmation of immobilizing IgG on different surfaces with AFM and impedance investigations of a Pt electrode during the immobilization, **36**, 431
Pulsed laser deposition
A highly long-term stable silicon-based pH sensor fabricated by pulsed laser deposition technique, **35**, 228
Pyrochlores
Mixed conducting gas sensors: atmosphere dependent electrode impedance, **36**, 348

Quartz crystal
Silica and polyimide coated quartz crystal resonators for analysis of liquids, **35**, 146
Quartz crystal microbalance
Chemical sensing with cavitands: influence of cavity shape and dimensions on the detection of solvent vapors, **35**, 154
Molecular recognition with metal containing supramolecular compounds: soluble tetradentate dithioglyoximes for the detection of organic solvents in the gas phase, **36**, 404
Quartz crystal resonator
Polymer-coated QCR sensors for the detection of organic solvents in water, **35**, 176

Radio-frequency sputtering
Chemical-sensing structure, direction, and quantification of plasma-organic films with α-amino acids, **36**, 342
Rat
Electrochemical performance of an ion selective, polymeric membrane following chronic implantation in rat subcutaneous tissue, **35**, 222
Reactive sputtering
Sputtered molybdenum oxide thin films for NH_3 detection, **36**, 320
Refraction index
A new principle for creating an optochemical sensor on the basis of a waveguide with moving borders, **35**, 192
Resistive sensor
Polyphosphazene membrane as a very sensitive resistive and capacitive humidity sensor, **35**, 99
Resistive-type sensor
Humidity sensors based on polymer thin films, **35**, 85
Resonant chemical sensors
On-line detection of organic pollutants in water by thickness shear mode resonators, **35**, 103
Resonant frequency
Silica and polyimide coated quartz crystal resonators for analysis of liquids, **35**, 146
Ruthenium(II) octaethyl porphyrin
Anion-selective liquid-polymer optodes with fluorescent pH chromoionophores, tunable dynamic range and diffusion enhanced lifetimes, **35**, 217

SAW gas sensors
Temperature stable piezoelectric substrates for SAW gas sensors, **35**, 141
Selected-area chemical vapor deposition
A silicon micromachined conductometric gas sensor with a maskess Pt sensing film deposited by selected-area CVD, **36**, 312
Selective gas- and liquid sensors
Chemical sensing with cavitands: influence of cavity shape and dimensions on the detection of solvent vapors, **35**, 154
Selectivity
A highly selective CO sensor: screening of electrode materials, **36**, 274

A study of surface modification at semiconducting Ga_2O_3 thin film sensors for enhancement of the sensitivity and selectivity, **36**, 290
Origin of anion response of solvent polymeric membrane based silver ion-selective electrodes, **35**, 20
Self-heating
Abnormal current–voltage characteristics of WO_3-doped SnO_2 oxide semiconductors and their applications to gas sensors, **35**, 48
Semiconductor
A new principle for creating an optochemical sensor on the basis of a waveguide with moving borders, **35**, 192
Semiconductor gas sensor
An odor compass for localizing an odor source, **35**, 32
Indium oxide-based gas sensor for selective detection of CO, **36**, 325
Sensitivity
A study of surface modification at semiconducting Ga_2O_3 thin film sensors for enhancement of the sensitivity and selectivity, **36**, 290
Preparation and micro-structural characterization of nanosized thin film of TiO_2–WO_3 as a novel material with high sensitivity towards NO_2, **36**, 381
Sensor
A novel oxygen gas sensor utilizing thin film diamond diode with catalyzed tin oxide electrode, **36**, 303
A trainable cermet gas microsensor technology using cyclic voltammetry and neural networks, **36**, 370
Analyzing the mechanism of hydrogen adsorption effects on diamond based MIS hydrogen sensors, **35**, 68
High sensitivity surface plasmon resonance sensor based on phase detection, **35**, 187
Sensor actuator system
Gas phase nucleation core electrodes for the electrolytical method of measuring the dynamic surface tension in aqueous solutions, **35**, 73
Sensor arrays
Gas analysis with arrays of solid state electrochemical sensors: implications to monitor HCs and NO_x in exhausts, **36**, 409
Sensory system
Identification for gaseous indoor air-pollutants using NDV, **36**, 308
Shapable electroconductive films
Construction of SEC/CTC electrodes for direct electron transferring biosensors, **36**, 484
Silkworm moth
An odor compass for localizing an odor source, **35**, 32
Silver
Origin of anion response of solvent polymeric membrane based silver ion-selective electrodes, **35**, 20
Simultaneous detection
A thin-film SnO_2 sensor system for simultaneous detection of CO and NO_2 with neural signal evaluation, **36**, 353
Smoke-detector
Surface acoustic wave gas sensor
Temporal window system: a new approach for dynamic detection – application to surface acoustic wave gas sensors, **35**, 52
Smoke sensor
Smoke sensor on the base of Bi_2O_3 sesquioxide, **35**, 241
Smoke-detector signal micrologic processing circuit, **35**, 60
SnO_2
Doping effect of SnO_2 on gas sensing characteristics of sputtered ZnO thin film chemical sensor, **36**, 384
SnO_2 sensor system
A thin-film SnO_2 sensor system for simultaneous detection of CO and NO_2 with neural signal evaluation, **36**, 353
SO_2 sensing characteristics of Nasicon electrolytes, **36**, 263
Sol-gel
Chemical sensors based on hydrophobic porous sol-gel films and ATR-FTIR spectroscopy, **36**, 517
Sol-gel glasses
A fluorescence assay for dissolved oxygen using sol-gel encapsulated myoglobin and an analogy to the inner filter effect, **36**, 491
Solid electrolyte
High-temperature hydrogen sensor based on stabilized zirconia and a metal oxide electrode, **35**, 130
Solid-state amperometric NO_2 sensor using a sodium ion conductor, **35**, 124
Solid reference
SO_2 sensing characteristics of Nasicon electrolytes, **36**, 263
Solid state
Approaches and mechanisms to solid state based sensing, **35**, 11
Solvent vapour measurements
Sensor array techniques for mimicking the mammalian olfactory system, **36**, 267
Sputtered ZnO thin film chemical sensor
Doping effect of SnO_2 on gas sensing characteristics of sputtered ZnO thin film chemical sensor, **36**, 384
Sputtering
Interdigitated microelectrode arrays based on sputtered carbon thin-films, **35**, 247
Stabilized zirconia
High-temperature hydrogen sensor based on stabilized zirconia and a metal oxide electrode, **35**, 130
State equation
An odor compass for localizing an odor source, **35**, 32
Steady state model
Steady state model of electrochemical gas sensors with multiple reactions, **36**, 392
Structural influences of cavitands on sensor responses
Chemical sensing with cavitands: influence of cavity shape and dimensions on the detection of solvent vapors, **35**, 154
Subcutaneous
Electrochemical performance of an ion selective, polymeric membrane following chronic implantation in rat subcutaneous tissue, **35**, 222
Surface acoustic wave
Improved dew point measurements based on a SAW sensor, **35**, 91
Surface acoustic wave gas sensor
Temporal window system: a new approach for dynamic detection – application to surface acoustic wave gas sensors, **35**, 52
The optimization of a tungsten trioxide film for application in a surface acoustic wave gas sensor, **35**, 164
Surface acoustic wave hydrogen sulfide sensor
The integration of a chemiresistive film overlay with a surface acoustic wave microsensor, **35**, 158
Surface modification
A study of surface modification at semiconducting Ga_2O_3 thin film sensors for enhancement of the sensitivity and selectivity, **36**, 290
Surface plasmon resonance
A commercial solution for surface plasmon sensing, **35**, 212
Experimental data from a trace metal sensor combining surface plasmon resonance with anodic stripping voltammetry, **35**, 37
High sensitivity surface plasmon resonance sensor based on phase detection, **35**, 187
Surface-plasmon opto-electrochemistry, **35**, 197
Surface sites
Comparative study of differently coordinated surface sites: Cd_xS- and Sn_xWO_y-based gas sensors, **36**, 398
System identification
Drift counteraction for an electronic nose, **36**, 528

Temperature profiles
Drift reduction of organic coated gas-sensors by temperature modulation, **36**, 358
Temporal window system
Temporal window system: a new approach for dynamic detection – application to surface acoustic wave gas sensors, **35**, 52
Tetradentate dithioglyoximes
Molecular recognition with metal containing supramolecular compounds: soluble tetradentate dithioglyoximes for the detection of organic solvents in the gas phase, **36**, 404
Thick film gas sensor
Abnormal current–voltage characteristics of WO_3-doped SnO_2 oxide semiconductors and their applications to gas sensors, **35**, 48
Compositions without noble metals for thick film gas sensor heater fabrication, **35**, 244
Thin film
Chemical sensors based on hydrophobic porous sol-gel films and ATR-FTIR spectroscopy, **36**, 517
The optimization of a tungsten trioxide film for application in a surface acoustic wave gas sensor, **35**, 164
Threshold voltages
Humidity sensitive field effect transistors, **35**, 80
Tin dioxide
Variations in *I–V* characteristics of oxide semiconductors induced by oxidizing gases, **35**, 62
Titanium oxide
Humidity sensitive field effect transistors, **35**, 80
Tris(2,2′-bipyridyl)ruthenium(III)
Gas-phase chemical sensing using electrochemiluminescence, **35**, 202
Tungsten oxide
Cross sensitivity and stability of NO_2 sensors from WO_3 thin film, **35**, 112
Tungsten trioxide
The integration of a chemiresistive film overlay with a surface acoustic wave microsensor, **35**, 158
The optimization of a tungsten trioxide film for application in a surface acoustic wave gas sensor, **35**, 164

Urea sensor
High-sensitivity urea sensor based on the composite film of electroinactive polypyrrole with polyion complex, **36**, 463

Voltammetry
A trainable cermet gas microsensor technology using cyclic voltammetry and neural networks, **36**, 370
New sensing principles for ion detection, **35**, 26

Waste water
Silica and polyimide coated quartz crystal resonators for analysis of liquids, **35**, 146
Water pollutants
On-line detection of organic pollutants in water by thickness shear mode resonators, **35**, 103
Water vapor
Improved dew point measurements based on a SAW sensor, **35**, 91
Waveguide
A new principle for creating an optochemical sensor on the basis of a waveguide with moving borders, **35**, 192
Wide range air/fuel ratio sensor
Limiting current and wide range air/fuel ratio sensors using the same YSZ–Al_2O_3 layers as electrolyte and diffusion barrier, **36**, 278

YSZ
A highly selective CO sensor: screening of electrode materials, **36**, 274
Yttria stabilized zirconia
Limiting current and wide range air/fuel ratio sensors using the same YSZ–Al_2O_3 layers as electrolyte and diffusion barrier, **36**, 278

Zinc oxide (ZnO)
Fabrication and packaging of integrated chemo-optical sensors, **35**, 234
Variations in *I–V* characteristics of oxide semiconductors induced by oxidizing gases, **35**, 62
Zirconia
Gas analysis with arrays of solid state electrochemical sensors: implications to monitor HCs and NO_x in exhausts, **36**, 409
Steady state model of electrochemical gas sensors with multiple reactions, **36**, 392
ZnO
High-temperature hydrogen sensor based on stabilized zirconia and a metal oxide electrode, **35**, 130